

Lenovo ThinkCentre M92/M92p Tiny, Small, Tower

ThinkCentre®



Lenovo ThinkCentre M92/M92p Tiny with Optional Serial Port or DisplayPort



Lenovo ThinkCentre M92/M92p Tiny with Floor Stand



Lenovo ThinkCentre M92/M92p Small



Lenovo ThinkCentre M92/M92p Tiny with VESA Mount



Lenovo ThinkCentre M92/M92p Tower



Lenovo ThinkCentre M92/M92p Tiny with External Optical Box

# ThinkCentre® M92 Tiny (3234) - TopSeller

Personal Systems Reference (PSREF)

Type-model	Processor	Memory <sup>8</sup>	SATA disk GB rpm	External optical	Graphics	PCIe Mini Card WLAN / BT	Optional port	Chassis intr switch	Floor stand	VESA mount	ENERGY STAR 5.2	Intel vPro	Global	Win7 preload (mm/dd/yy)	Ann date (mm/dd/yy)
3234-A6U	i3-2120T	4GBx1	500G 5400	None	HD 2000	None	None	None	Stand	None	ES52	None	None	Pro 64	06/05/12

- Small and medium business (SMB) model(s), part of the US TopSeller™ Program
- 1-year limited warranty
- Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning	<i>Ultimate security, stability, and manageability for the enterprise</i>										<b>Preloaded operating system</b>				
Processor	Intel® Core™ i3-2120T Processor (2 cores / 4 threads, 2.6GHz, 3MB cache), integrated Intel HD Graphics 2000, integrated 1333MHz dual-channel DDR3 memory controller, Virtualization Technology										Genuine Windows® 7 Professional 64				
Implementation	Processor in LGA1155 socket										<b>Ready to install applications</b> (only some listed)				
Memory	16GB max, PC3-12800 1600MHz DDR3, two 204-pin SODIMM sockets (notebook)										<ul style="list-style-type: none"> <li>• Rescue and Recovery™</li> <li>• Password Manager</li> </ul>				
Graphics	Intel HD Graphics 2000 in processor, uses main memory, HDCP, DirectX® 10.1, one VGA, one DisplayPort™, supports dual independent display; Maximum resolution: 2560x1600 (DisplayPort, VGA) @60Hz										<b>Preloaded applications</b> (only some listed)				
DP dongle	None										<ul style="list-style-type: none"> <li>• ThinkVantage® Product Recovery</li> <li>• ThinkVantage System Update</li> <li>• ThinkVantage Communication Utility</li> <li>• ThinkVantage Power Manager</li> <li>• View Management Utility</li> <li>• Lenovo AppShop</li> <li>• Lenovo Solution Center</li> <li>• Lenovo Message Center Plus</li> <li>• Lenovo SimpleTap</li> <li>• Norton™ Internet Security (30 days of virus definitions)</li> <li>• Adobe® Reader®</li> <li>• Skype™ for Windows</li> <li>• Windows Live™ Essentials</li> <li>• Microsoft Office 2010 preloaded; purchase product key to activate</li> </ul>				
Disk	SATA 3.0Gb/s, 2.5" Wide, 5400 rpm														
External optical	None														
SATA controller	Serial ATA, SATA 6.0Gb/s support, integrated in chipset														
Onboard SATA	One SATA cable (1-drop to device), one SATA 6.0Gb/s connector on planar														
eSATA port	None														
Chipset	<b>Intel Q77 Express Chipset</b>														
Front ports	Two USB 3.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)														
Rear ports	Two USB 3.0, one USB 2.0 (external ODD occupies USB 2.0 port on some models), ethernet (RJ-45), VGA DB-15, DisplayPort connector, one optional port (USB 2.0 / serial / DisplayPort on selected models)														
PCIe Mini Card	One PCI Express® Mini Card slot														
PCIe WLAN	None														
Bluetooth	None														
Audio	High Definition (HD) Audio, Realtek® ALC662 codec														
Speaker	Internal speaker for business audio														
IEEE 1394	None														
Ethernet	One gigabit ethernet port, Intel 82579, Wake on LAN®														
Intel AMT	Intel Active Management Technology 8.0 (Intel AMT 8.0)														
Modem	None														
Security chip	Trusted Platform Module (TPM1.2-compliant)														
Keyboard	Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo														
Mouse	Enhanced Optical USB Mouse, black, Lenovo logo														
Floor Stand	System floor stand for vertical orientation														
VESA mount	None														
Power supply	65 watts AC/DC adapter, autosensing, 87% PSU														
Machine	<ul style="list-style-type: none"> <li>• Business black color; metal case</li> <li>• 7.1" W X 7.2" D X 1.4" H</li> <li>• 179mm W X 182mm D X 34.5mm H</li> <li>• 9.1 lb (4.1 kg) in maximum configuration (including External Optical Box)</li> </ul>										<b>Security</b> <ul style="list-style-type: none"> <li>• Security chip (see information on left)</li> <li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable)</li> <li>• Power-on password</li> <li>• Administrator password</li> <li>• Hard disk password</li> <li>• Boot sequence control</li> <li>• Boot without keyboard and mouse</li> <li>• Individual USB port disablement</li> <li>• Chassis intrusion switch on selected model(s)</li> </ul>				
											EPEAT™ Gold rating				
											ENERGY STAR® 5.2-compliant				
											ULE Gold				
											Cisco EnergyWise compatible				
											GREENGUARD® certified				
											RoHS-compliant				
											Supports ThinkVantage Technologies				
											For compatible accessories, please go to O-M92 sheet; For Lenovo service upgrade options, please go to S-TC sheet				
Limited Warranty	1-years, limited onsite service, 8 am-5 pm, Mon - Fri coverage excluding holidays, next business day response time / service upgrades available														

See footnotes for important warranty information  
US model announced June 5, 2012

©Lenovo  
(MHTN1-1) June 2012

# ThinkCentre® M92p Tiny (2121) - TopSeller

Personal Systems Reference (PSREF)

Type-model	Processor	Memory <sup>8</sup>	SATA disk GB rpm	External optical	Graphics	PCIe Mini Card WLAN / BT	Optional port	Chassis intrusion switch	Floor stand	VESA mount	ENERGY STAR 5.2	Intel vPro	Global	Win7 preload	Ann date (mm/dd/yy)
2121-A1U	i5-3470T	4GBx1	500G 7200	DVD±RW	HD 2500	None	DP	None	None	Mount	ES52	vPro	None	Pro 64	07/10/12
2121-A2U	i5-3470T	4GBx1	500G 7200	None	HD 2500	None	DP	None	Stand	Mount	ES52	vPro	None	Pro 64	07/10/12
2121-A3U	i5-3470T	4GBx1	320G 7200	None	HD 2500	None	DP	None	Stand	Mount	ES52	vPro	None	Pro 64	07/10/12
2121-A4U	i5-3470T	4GBx1	500G 7200	DVD±RW	HD 2500	None	Serial	None	None	Mount	ES52	vPro	None	Pro 64	07/10/12
2121-A5U	i5-3470T	4GBx1	500G 7200	DVD±RW	HD 2500	Intel 2230 + BT	None	None	None	Mount	ES52	vPro	None	Pro 64	07/10/12
2121-A6U	i5-3470T	4GBx1	500G 7200	None	HD 2500	Intel 2230 + BT	None	None	None	Mount	ES52	vPro	None	Pro 64	07/10/12
2121-A7U	i5-3470T	4GBx1	500G 7200	None	HD 2500	Intel 2230 + BT	None	None	Stand	Mount	ES52	vPro	None	Pro 64	07/10/12
2121-B1U	i5-3470T	4GBx1	500G 7200	None	HD 2500	Intel 2230 + BT	DP	None	Stand	Mount	ES52	vPro	None	Pro 64	07/10/12

- Next Generation Intel platform with latest Intel vPro™ Technology and Intel Active Management Technology
- Small and medium business (SMB) model(s), part of the US TopSeller™ Program
- 3-year limited warranty
- Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning	<i>Ultimate security, stability, and manageability for the enterprise</i>										<b>Preloaded operating system</b>				
Processor	<b>Intel® Core™ i5-3470T Processor (2 cores / 4 threads, 2.9GHz, 3MB cache), Turbo Boost 2.0 (3.6GHz), integrated Intel HD Graphics 2500, integrated 1600MHz dual-channel DDR3 memory controller, Virtualization Technology</b>										Genuine Windows® 7 Professional 64				
Implementation	Processor in LGA1155 socket										<b>Ready to install applications</b> (only some listed)				
Memory	16GB max, <b>PC3-12800 1600MHz DDR3</b> , two 204-pin SODIMM sockets (notebook)										<ul style="list-style-type: none"> <li>• Rescue and Recovery™</li> <li>• Password Manager</li> </ul>				
Graphics	<b>Intel HD Graphics 2500</b> in processor, uses main memory, DirectX® 11, one VGA, one DisplayPort™, one optional DisplayPort, supports up to triple independent display; <i>Maximum resolution: 2560x1600 (DisplayPort, VGA) @60Hz</i>										<b>Preloaded applications</b> (only some listed)				
DP dongle	None										<ul style="list-style-type: none"> <li>• ThinkVantage® Product Recovery</li> <li>• ThinkVantage System Update</li> <li>• ThinkVantage Communication Utility</li> <li>• ThinkVantage Power Manager</li> <li>• View Management Utility</li> <li>• Lenovo AppShop</li> <li>• Lenovo Solution Center</li> <li>• Lenovo Message Center Plus</li> <li>• Lenovo SimpleTap</li> <li>• Norton™ Internet Security (30 days of virus definitions)</li> <li>• Adobe® Reader®</li> <li>• Skype™ for Windows</li> <li>• Windows Live™ Essentials</li> <li>• Microsoft Office 2010 preloaded; purchase product key to activate</li> <li>• Corel® Burn.Now™ (DVD±RW)</li> <li>• Corel DVD MovieFactory® (DVD±RW)</li> </ul>				
Disk	SATA 3.0Gb/s, 2.5" Wide, 7200 rpm														
External optical	<i>Some:</i> Slim DVD burner box, SATA 1.5Gb/s, 12.7mm high, tray-in														
SATA controller	Serial ATA, SATA 6.0Gb/s support, integrated in chipset														
Onboard SATA	One SATA cable (1-drop to device), one SATA 6.0Gb/s connector on planar														
eSATA port	None														
Chipset	<b>Intel Q77 Express Chipset</b>														
Front ports	Two USB 3.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)														
Rear ports	Two USB 3.0, one USB 2.0 (external ODD occupies USB 2.0 port on some models), ethernet (RJ-45), VGA DB-15, DisplayPort connector, one optional port (USB 2.0 / serial / DisplayPort on selected models)														
PCIe Mini Card	One PCI Express® Mini Card slot														
PCIe WLAN	<i>Some:</i> 11b/g/n wireless, PCIe Half Mini Card, Intel Centrino Wireless-N 2230, Wi-Fi + Bluetooth combo adapter, 2x2														
Bluetooth	<i>Some:</i> Bluetooth 4.0 wireless, integrated in Intel 2230 Wi-Fi + Bluetooth combo adapter														
Audio	High Definition (HD) Audio, Realtek® ALC662 codec														
Speaker	Internal speaker for business audio														
IEEE 1394	None														
Ethernet	One gigabit ethernet port, Intel 82579, Wake on LAN®														
Intel AMT	Intel Active Management Technology 8.0 (Intel AMT 8.0)														
Modem	None														
Security chip	Trusted Platform Module (TPM1.2-compliant)														
Keyboard	Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo										<b>Security</b>				
Mouse	Enhanced Optical USB Mouse, black, Lenovo logo										<ul style="list-style-type: none"> <li>• Security chip (see information on left)</li> <li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable)</li> <li>• Power-on password</li> <li>• Administrator password</li> <li>• Hard disk password</li> <li>• Boot sequence control</li> <li>• Boot without keyboard and mouse</li> <li>• Individual USB port disablement</li> <li>• Chassis intrusion switch on selected model(s)</li> </ul>				
Floor Stand	<i>Some:</i> System floor stand for vertical orientation										EPEAT™ Gold rating				
VESA mount	Supports VESA 75mm and 100mm mount standard										ENERGY STAR® 5.2-compliant				
Power supply	65 watts AC/DC adapter, autosensing, 87% PSU										ULE Gold				
Machine	<ul style="list-style-type: none"> <li>• Business black color; metal case</li> <li>• 7.1" W X 7.2" D X 1.4" H</li> <li>• 179mm W X 182mm D X 34.5mm H</li> <li>• 9.1 lb (4.1 kg) in maximum configuration (including External Optical Box)</li> </ul>										Cisco EnergyWise compatible				
											GREENGUARD® certified				
											RoHS-compliant				
											Supports ThinkVantage Technologies				
											For compatible accessories, please go to O-M92 sheet; For Lenovo service upgrade options, please go to S-TC sheet				
Limited Warranty	<b>3-years, limited onsite service</b> , 8 am-5 pm, Mon - Fri coverage excluding holidays, next business day response time / service upgrades available														

See footnotes for important warranty information  
US models announced July 10, 2012

©Lenovo  
(MHTN1-19) July 2012

# ThinkCentre® M92p Tiny (2121) - TopSeller (Thin Client)

Personal Systems Reference (PSREF)

Type-model	Processor	Memory <sup>a</sup>	SATA disk GB rpm	External optical	Graphics	PCIe Mini Card WLAN / BT	Optional port	Chassis intrusion switch	Floor stand	VESA mount	ENERGY STAR 5.2	Intel vPro	Global	Win7 preload	Ann date (mm/dd/yy)
2121-B2U	i5-3470T	2GBx1	8G SSD	None	HD 2500	None	None	None	Stand	Mount	ES52	vPro	None	Emb 32	07/10/12
2121-B3U	i5-3470T	2GBx1	8G SSD	None	HD 2500	Intel 2230 + BT	None	None	Stand	Mount	ES52	vPro	None	Emb 32	07/10/12

- Next Generation Intel platform with latest Intel vPro™ Technology and Intel Active Management Technology
- Small and medium business (SMB) model(s), part of the US TopSeller™ Program
- 3-year limited warranty

Positioning	<i>Ultimate security, stability, and manageability for the enterprise</i>											<b>Preloaded operating system</b>			
Processor	Intel® Core™ i5-3470T Processor (2 cores / 4 threads, 2.9GHz, 3MB cache), Turbo Boost 2.0 (3.6GHz), integrated Intel HD Graphics 2500, integrated 1600MHz dual-channel DDR3 memory controller, Virtualization Technology											Genuine Windows® 7 Embedded 32			
Implementation	Processor in LGA1155 socket											<b>Preloaded applications (only some listed)</b>			
Memory	16GB max, <b>PC3-12800 1600MHz DDR3</b> , two 204-pin SODIMM sockets (notebook)											<ul style="list-style-type: none"> <li>• Adobe® Reader®</li> <li>• Adobe Flash® Player</li> <li>• Citrix® Receiver</li> <li>• IIS Web Server</li> <li>• Microsoft® Management Console</li> <li>• Microsoft Silverlight</li> <li>• Remote Desktop Protocol</li> <li>• ThinPrint .print Client</li> <li>• TightVNC Viewer</li> <li>• VMware® View Client</li> <li>• vWorkspace</li> <li>• Windows Media Player</li> </ul>			
Graphics	Intel HD Graphics 2500 in processor, uses main memory, DirectX® 11, one VGA, one DisplayPort™, one optional DisplayPort, supports up to triple independent display; <i>Maximum resolution: 2560x1600 (DisplayPort, VGA) @60Hz</i>														
DP dongle	None														
Disk	Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" Wide														
External optical	None														
SATA controller	Serial ATA, SATA 6.0Gb/s support, integrated in chipset														
Onboard SATA	One SATA cable (1-drop to device), one SATA 6.0Gb/s connector on planar														
eSATA port	None														
Chipset	<b>Intel Q77 Express Chipset</b>														
Front ports	Two USB 3.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)														
Rear ports	Two USB 3.0, one USB 2.0 (external ODD occupies USB 2.0 port on some models), ethernet (RJ-45), VGA DB-15, DisplayPort connector, one optional port (USB 2.0 / serial / DisplayPort on selected models)														
PCIe Mini Card	One PCI Express® Mini Card slot														
PCIe WLAN	<i>Some:</i> 11b/g/n wireless, PCIe Half Mini Card, Intel Centrino Wireless-N 2230, Wi-Fi + Bluetooth combo adapter, 2x2														
Bluetooth	<i>Some:</i> Bluetooth 4.0 wireless, integrated in Intel 2230 Wi-Fi + Bluetooth combo adapter														
Audio	High Definition (HD) Audio, Realtek® ALC662 codec														
Speaker	Internal speaker for business audio														
IEEE 1394	None														
Ethernet	One gigabit ethernet port, Intel 82579, Wake on LAN®														
Intel AMT	Intel Active Management Technology 8.0 (Intel AMT 8.0)														
Modem	None														
Security chip	Trusted Platform Module (TPM1.2-compliant)														
Keyboard	Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo														
Mouse	Enhanced Optical USB Mouse, black, Lenovo logo														
Floor Stand	System floor stand for vertical orientation														
VESA mount	Supports VESA 75mm and 100mm mount standard														
Power supply	65 watts AC/DC adapter, autosensing, 87% PSU														
Machine	<ul style="list-style-type: none"> <li>• Business black color; metal case</li> <li>• 7.1" W X 7.2" D X 1.4" H</li> <li>• 179mm W X 182mm D X 34.5mm H</li> <li>• 9.1 lb (4.1 kg) in maximum configuration (including External Optical Box)</li> </ul>											<b>Security</b> <ul style="list-style-type: none"> <li>• Security chip (see information on left)</li> <li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable)</li> <li>• Power-on password</li> <li>• Administrator password</li> <li>• Hard disk password</li> <li>• Boot sequence control</li> <li>• Boot without keyboard and mouse</li> <li>• Individual USB port disablement</li> <li>• Chassis intrusion switch on selected model(s)</li> </ul>			
												EPEAT™ Gold rating			
												ENERGY STAR® 5.2-compliant			
												ULE Gold			
												GREENGUARD® certified			
												RoHS-compliant			
												Supports ThinkVantage Technologies			
												For compatible accessories, please go to O-M92 sheet; For Lenovo service upgrade options, please go to S-TC sheet			
Limited Warranty	<b>3-years, limited onsite service</b> , 8 am-5 pm, Mon - Fri coverage excluding holidays, next business day response time / service upgrades available														

See footnotes for important warranty information  
US models announced July 10, 2012

©Lenovo  
(MHTN1-20) July 2012



**Memory**

*Tiny 3234/3243/3238/3237 use notebook memory:*

2GB PC3-12800 DDR3 SODIMM	0A65722	ann 06/05/12
4GB PC3-12800 DDR3 SODIMM	0A65723	ann 06/05/12
8GB PC3-12800 DDR3 SODIMM	0A65724	ann 06/05/12

*Small 3207/2988/3209/3227, and*

*Tower 3208/2992/3212/3228 use desktop memory:*

2GB PC3-12800 DDR3 UDIMM	0A65728	ann 06/05/12
4GB PC3-12800 DDR3 UDIMM	0A65729	ann 06/05/12
8GB PC3-12800 DDR3 UDIMM	0A65730	ann 06/05/12

More information at

[www.lenovo.com/support/desktopmemorycompatibility](http://www.lenovo.com/support/desktopmemorycompatibility)

**Optical**

*Small and Tower support:*

DVD-ROM DL SATA 1.5Gb/s 16X-48X Max <sup>4</sup>	41N5618	ann 09/26/06
Lenovo® Super Multi-Burner SATA Drive	0A65618	ann 08/23/11

**Storage and removable storage**

*Small and Tower support:*

250GB SATA 3.0Gb/s Disk (7200 rpm)	41N3015	ann 01/24/06
500GB SATA 3.0Gb/s Disk (7200 rpm)	43R1990	ann 11/06/07
1TB SATA 3.0Gb/s Disk (7200 rpm)	45J7918	ann 08/19/08
300GB SATA 3.0Gb/s Disk (10000 rpm) 2.5"	43R2031	ann 03/31/09

All:

USB 2.0 Portable 320GB Hard Disk	45K1689	ann 03/17/09
USB 2.0 Portable 500GB Hard Disk	45K1690	ann 05/26/09
USB 2.0 Portable Secure 320GB Hard Disk	43R2019	ann 11/18/08
USB 3.0 Secure 500GB Hard Drive	0A65619	ann 11/29/11
USB 3.0 Secure 750GB Hard Drive	0A65616	ann 11/29/11
Slim USB Portable DVD Burner	0A33988	ann 06/14/11

**Graphics**

*Small 3207/2988/3209/3227 support Low Profile:*

AMD 7450 1GB (DP, DVI-I with a DVI to VGA converter) <sup>67</sup>	0A36538	ann 05/29/12
---	---------	--------------

*Tower 3208/2992/3212/3228 support:*

AMD 7450 1GB (DP, DVI-I) <sup>67</sup>	0A36538	ann 05/29/12
--	---------	--------------

<sup>67</sup> Simultaneously use the graphic card monitor ports along with the systems integrated monitor ports when Multi-Monitor Support is enabled in BIOS Setup.

More information at [www.lenovo.com/support/graphiccards](http://www.lenovo.com/support/graphiccards)

**Keyboard**

Preferred Pro USB Keyboard	73P5220	ann 06/21/05
Enhanced Performance USB Keyboard	73P2620	ann 03/23/04
UltraSlim Plus Wireless Keyboard and Mouse <sup>52</sup>	0A34032	ann 04/05/11
ThinkPad® USB Keyboard with TrackPoint	55Y9003	ann 08/18/09
Lenovo USB Fingerprint Keyboard	73P4730	ann 02/22/05
Lenovo USB Smartcard Keyboard	51J0155	ann 03/24/09

<sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver.

More information at [www.lenovo.com/support/keyboards](http://www.lenovo.com/support/keyboards)

**Mouse**

Lenovo Optical Mouse (USB)	06P4069	ann 05/21/03
Lenovo ScrollPoint® Mouse(USB, Optical)	31P7405	ann 08/27/02
ThinkPad Travel Mouse (USB, Optical)	31P7410	ann 06/04/02
Lenovo Laser Mouse (USB)	41U3074	ann 01/23/07
Lenovo Wireless Laser Mouse <sup>52</sup>	0A36188	ann 12/20/11
ThinkPad USB Laser Mouse	57Y4635	ann 12/15/09

More information at [www.lenovo.com/support/mice](http://www.lenovo.com/support/mice)

**Modem**

USB 2.0 Lenovo Modem	43R1814	ann 02/26/08
----------------------	---------	--------------

**Multimedia**

ThinkPad In-Ear Headphones with mic <sup>60</sup>	57Y4488	ann 01/07/10
Lenovo Mini Speakers M220	55Y2033	ann 01/07/10
Lenovo Speakers M0520 (black)	57Y6360	ann 02/08/11
Lenovo Speakers M0520 (red)	57Y6361	ann 02/08/11
Lenovo Headset P550	55Y2065	
Lenovo Headset P950 (black)	57Y6605	ann 02/08/11

<sup>60</sup> Has a 1.2 meter (3.9-foot) cable. Best when systems are in close proximity. Example: SFF placed on a desk.

**Security**

Kensington® MicroSaver® Cable Lock <sup>56</sup>	73P2582	ann 12/29/03
Kensington Twin Head Cable Lock <sup>56</sup>	45K1620	ann 09/30/08
Lenovo Security Cable Lock <sup>56</sup>	57Y4303	ann 08/24/10
USB Gemplus GemPC Smart Card Reader	41N3040	ann 02/21/06

<sup>56</sup> Attaching to any form factor not only secures the ThinkCentre to the work area, but it also prevents users from opening the chassis itself.

**Monitors**

ThinkVision® L1711p 17" (VGA, DVI-D)	5047HB2	ann 10/20/09
ThinkVision LT1952p Wide 19" (VGA, DP, DVI-D) <sup>69</sup>	2448MB6	ann 09/13/11
ThinkVision L2250p Wide 22" (VGA, DVI-D)	2572HB6	ann 10/20/09
ThinkVision L2251x Wide 22" (VGA, DP)	2578HB6	ann 10/20/09
ThinkVision LT2252p Wide 22" (VGA, DP, DVI-D) <sup>69</sup>	2572MB6	ann 09/13/11
ThinkVision L2321x Wide 23" (VGA, DP)	4014HB6	ann 06/10/10
ThinkVision LT2323p Wide 23" (VGA, DP, DVI-D) <sup>69</sup>	3024HC1	ann 05/01/12
ThinkVision LT2452p Wide 24" (VGA, DP, DVI-D) <sup>69</sup>	4420MB2	ann 09/13/11

<sup>69</sup> DisplayPort cable is not included; use optional DisplayPort to DisplayPort Monitor Cable (0A36537).

More information at [www.lenovo.com/support/monitors](http://www.lenovo.com/support/monitors)

**Monitor Accessories<sup>46</sup>**

Lenovo USB-to-DVI Monitor Adapter	45K5296	ann 05/12/09
DisplayPort™ to Single-link DVI-D Cable	45J7915	ann 08/05/08
DisplayPort to Dual-DisplayPort Monitor Cable	0B47092	ann 06/05/12
DisplayPort to VGA Monitor Cable	57Y4393	ann 08/04/09
DisplayPort to DisplayPort Monitor Cable	0A36537	ann 09/13/11
Lenovo USB Soundbar	0A36190	ann 05/01/12
Kensington MicroSaver Cable Lock <sup>56</sup>	73P2582	ann 12/29/03
Kensington Twin Head Cable Lock <sup>56</sup>	45K1620	ann 09/30/08
Lenovo Security Cable Lock <sup>56</sup>	57Y4303	ann 08/24/10
ThinkCentre Extend Arm	57Y4352	ann 07/06/10

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.

More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on accessories:

[www.lenovo.com/accessories](http://www.lenovo.com/accessories)

Purchase Lenovo accessories

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)

Product specifications on Lenovo Support

[www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

Option Compatibility Matrix (OCM) and accessory brochures

[www.lenovoquickpick.com](http://www.lenovoquickpick.com)

An Options Compatibility Configurator for Lenovo systems